



**[CA-49617] ACL 16-45: Automate the CW 2219 for Non-Needy Caretaker application instead of the SAWS 2 Plus application**

- Resolved: 03/12/2019 12:31 PM

Issue Type:	<b>SCR</b>	Team Responsible:	<b>Client Correspondence</b>	Assignee:	<b>Tiffany Huckaby</b>
Fix Version/s:	<b>[20.09]</b>	Designer Contact:	<b>Jamie Ng</b>	Change Type (SCR):	<b>New Policy</b>
Minor Version:		Expedite Changes:	<b>No</b>	Estimate:	<b>330</b>
Reporter:	<b>Maria Arceo</b>	Regulation Reference:	<b>ACL 16-45</b>	Created:	<b>01/19/2018 11:46 AM</b>
Status:	<b>Ready for Committee</b>	Impact Analysis:	<b>[Forms/NOA Translations]</b>	Outreach Required:	<b>No</b>
Policy/Design Consortium Contact:	<b>Maria Arceo</b>	Training Impacted:	<b>[N/A]</b>	Funding Source:	<b>LRS M&amp;E</b>
Project Phase (SCR):	<b>Production</b>	Funding Source ID:			
Other Agency Cross Reference:	<b>CIV-9772</b>				
<b>Current Design:</b>	Currently, the CW 2218 and CW 2219 are not generated in LRS as these are newly created forms. However, the CW 2218 is currently available in LRS, but is not automatically generated for non-needy caretaker cases.				
<b>Request:</b>	Currently the Non-Needed Caretaker has to complete the SAWS 2 plus a long application instead of the CW2219 application that is shorter with less root questions				
<b>Recommendation:</b>	1. Add and generate in LRS/CalSAWS CW 2219 - Non-needy caretaker application as needed by worker in template repository.				
<b>Outreach Description:</b>					
<b>Operational Impact:</b>					