[CA-57452] ACWDL 17-32 - Updates to Failure to Respond Medi-Cal NOAs

Team Responsible:	Client Correspondence	Assignee:	Tiffany Huckaby	SPG Status:	Approved
Fix Version/s:	[21.11]	Designer Contact:	Tiffany Huckaby	Change Type (SCR):	Enhancement
Minor Version:		Expedite Changes:	No	Estimate:	502
Reporter:	Tisha Mutreja	Regulation Reference:		Created:	01/19/2018 11:42 AM
Status:	Ready for Committee	Impact Analysis:		Outreach Required:	Νο
Policy/Design Consortium Contact:	Virginia C. Bernal	Training Impacted:	[N/A]	Funding Source:	LRS M&E
Project Phase (SCR):	Production	Migration Impact:		Funding Source ID:	
Committee: Consortium Review Approval:	[Correspondence]	Approved by Committee: Consortium Review Approval Date:		Other Agency Cross Reference:	CIV-10892
Non-Committee Review: Expedite Approval: Current Design:		s 'Failure to Respond' NC WDL) 15-27 and 15-27E		s guidance provided by A	II County Welfare
Request:	, i i i i i i i i i i i i i i i i i i i	,			
Recommendation:	Failure to Respond verbiage has been updated by ACWDL 17-32. 1. Add a new Medi-Cal Action Fragment for Failure to Respond.				
	2. Add a new MAGI Failure to Respond reason based on the verbiage from ACWDL 17-32.				
	3. Add a new non-MAGI Failure to Respond reason based on the verbiage from ACWDL 17-32.				
	4. Remove obsoleted non-MAGI Failure to Respond dynamically generated verbiage from existing Fragment.				
	5. Remove obsoleted MAGI Failure to Respond Fragment.				
Outreach Description: Migration Impact Description: Migration Impact Analysis: Alternative Procedure Description: Operational Impact: Estimate:	502				
Automated Test :	0	Batch/Interfaces :	0	Batch Operations :	0
CalHEERS :	0	CalHEERS Test :	100	Client Correspondence	e: 319
DBA :	0	Design :	0	Eligibility :	0
Fiscal :	0	Forms Test :	0	Imaging :	0
IVR/CC :	0	Online :	0	Performance :	0
Release Communicatio Support :	n 22	Reports :	0	Reports Test :	0
Security :	0	Special Project :	0	System Test Support :	0
Tech Arch :	0	Tech Ops :	0	Training :	0
Translation :	0				